


FIGURE 1

2/28



Lane 1 PCR amplification of mighty from wild type bovine heart Lane 2 PCR amplification of mighty from Belgian Blue bovine heart Lane 3 1 kb plus DNA ladder Lane 4 PCR amplification of mighty from ovine skeletal muscle

FIGURE 2

3/28

CCACATTCACTGTGCAAGTCGTGGGGAAATACAGATGAATAAAGGCTTCCTTGTTATTCTCAAGGAATGTATG GTTTTGAAGCACAGTTAGACATATATTCAAATTACAGCTTCCTCCTTTAAAACACTAATATTCCAAGGCACAC TCAATGTTTTAAAGGATCACAGAGTGACTACCAAAGCACGTAGCAAAACCCTACTAAGAGAGGTGTGTTTAAA ATGACTACCCAAGGGACATACTTTTCAAGTCTTCTAATCGTTCACTTTGGATCTGTTTATACCACAAGAAAAC AATTTACTTGATGCTCTTTAGGTCCCCTTAAAAAATAACCATCCTTGAGGTGGCTTTTCATGTCCTTGGCTTTTA TTGAACATAGAAACAGCCATGCAAGCGGTCTTAAAGGCTT*TATTAGATG*ATTGTTTCCTAATAAAGTCAT GACAGTCTACCTTTGGAATTAAAGTGATACACAAAATGATGGTCTGTGTCCTCTGGTGAACTGGTTCCATTCA CATAGO C TATTCATCATGACTATGGTTTCATTTTTCTTTAGCCTTCAAGAGCTCAGAACTGAATTTTAA TTCAGTCATTTACCACCAAGATAATTO GAGTTTTTTTTTTTTAAAAAAACTCTAATGTTTTATTTCTAGATT TTAGTTTAAACCACGTTACATCTATATTGACAATAAATGTGCTAAAATAAACTTAACATGGGTAATGTGCCTA GGGAGGCTTGAATCCCAATATGGCAAAACAAACAGAAAACCAGCAATTTGGTATGCTGTGCTGTCTTATATTT TACAGAAATAAATGTGAAAGTATATGACCTATGTTATGATCTTTAAAGAGTTTGTAGAAACGGAAGAGGACTC TGCCTTTATTGTCTAACCC**CAAGTG**TGTTGAAGT ACTGTGAC CTAAAATTTGGACTGTTCTAGAAAAATCTGTTACAGAGATAATGTTAAAGCCAGATTACAGGAATCACAGCCA CTAATATACAAATAATTACAGAAAGGCTTTGAATGTGGAGGTGTTGTTCTGATGACTCTATTGATGTATTTGA AAGCACTGGAGTTACTCCCCAGGAAAATTACAACCAGAGTTCCCTAAAGCAGAACCTCCCTGTTTTCTATT**CA** TTTGCTGAATATCAAAAGCATTTTCCAGCCAACAGTACGGCA TCTGAGTTGCCAAGTCGGATGAGGAAGCCAACTG CAAATCAGCTATCAGGGGAAGTTCCTAACACCCTGGTA ATCCTTTTTTGCGTAACACATATCCATTTAGTGATCCGATTAATGGCCGGGTCA7CTA4CCCCCAAAATACATT TTAGATAACCCGGTTATGTTTGTGAAGATTTCCTGGGACTCAAGACAAAATCCTTTGATAACCCTT ACCTCTTTATCGGTCACGCGGCCAAGGGAACCCGGGTCTCCCAGGGTCTC GGGCGGGGGCGGGGTGTTGCTAGGCGACCACGCTCTCCGCCCAGACCGGCCTACTTCTTCCGCAGGGGGCC CCATGGGCCGAGCCCAGGCTCGCGGGCCGTCTGCCGGGCGGTCTTTTCCGACTTCTTCCCCCTCTGCCGGGCGGT GGCGCACGCCCGTGACGTCACAGGAGGCGGGGCCAGCGGGCGCGGGGGGGCGCCATTGGAGCCG GCTTGGCTTGGGACCCGTAGCTGAAGAGTTGGATC

Various transcription factor binding sites:

Ebox
FATA
TATA
F4BP4
GC box
E2F

FIGURE 3A

4/28

CCACATTCACTGTGCAAGT**CGTGGGGA**AATACAGATĞAATAAAGGCTTCCTTGTTATTCTCAAGGAATGTATG GTTTTGAAGCACAGTTAGACATATATTCAAATTACAGCTTCCTCCTTTAAAACACTAATATTCCAAGGCACAC TCAATGTTTTAAAGGATCACAGAGTGACTACCAAAGCACGTAGCAAAACCCTACTAAGAGAGGTGTGTTTAAA ACAATTTACTTGATGCTCTTAGGTCCCCTTAAAAAATAACCATCGTGAAGTGGCTTTTCATGTCCTTGGCTTT TATTGAACATAGAAACAGCCATGCAAGCGGTCTTAAAAGGCTTTATTACATCATTGTTTCCTAATAAAGTCATG ACAGTCTACCTTTGGAATTAAAGTGATACACAAAATGATGGTCTGTGTCCTCTGGTGAACTGGTTCCATTCAG ATAACACCTATTCATCATGACTATGGTTTCATTTTTCTTTAGCCTTCAAGAAGCTCAGAACTGAATTTTAAAT TAGTTTAAACCACGTTACATCTATATTGACAATAAATGTGCTAAAATAAACTTAACATGGGTAATGTGCCTAG GGAGGCTTGAATCCCAATATGGCAAAACAAACAGAAAACCAGCAATTTGGTATGCTGTGTCTTATATTTT ACAGAAATAAATGTGAAAGTATATGACCTATGTTATGATCTTTAAAGAGTTTGTAGAAACGGAAGAGGACTCA ATGCCTTTATTGTCTAACCCCAAGTGTGTTGAAGT ACTGTGACAGCCATCTTGGCAATTAGAAATGAGTA TCTAAAATTTGGACTGTTCTAGAAAAATCTGTTACAGAGATAATGTTAAAGCCAGATTACAGGAATCACAGCC ACTAATATACAAATAATTACAGAAAGGCTTTGAATGTGGAGGTGTTGTTCTGATGACTCTATTGATGTATTTG AAAGCACTGGAGTTAC TCCCCAGG AAAATTACAACCAGAGTTCCCTAAAGCAGAACCTCCCTGTTTTCTATTCATTTGCTGAATATCAAAAGCATTTTCCAGCCAACAGTACGGCAGAGAATCTCGATTGACCCGAGGAAGAACCA GTCTGAGTTGCCAAGTCGGATGAGGAAGCCAACTGCCAAATCAGCTATCAGGGGAAGTTCCTAACACCCTGG TAATCCTTTTTTGCGTAACACATATCCATTTAGTGATCCGATTAATGGCCGGGTCATCTA**TCCCCAAA**ATACA CCTTAGATAACCCGGTTATGTTTGTGAAGATTTCCTGGGACTCAAGACAAATCCTTTGATAACCCTTTAGAA TCACCTCTTTTATCGGTCACGCGGCCAAGGGAACCCGGGTCTCCCAGGGTCTCTCCCATCCCCGCCCCCGAG GGGGCGGGGGGGGTGTTGCTAGGCGACCACGCTCTCCGCCCAGACCGGCCTACTTCTTCCGCAGGGGGCCG GGCGCACGCCGTGACGTCACAGGAGGCGGGGCCAGCGCGGCTGCCGGGTGCCGGAGGCGCCATTGGAGCCGG CTTGGCTTGGGAGCCGTAGCTGAAGAGTTGGATC

Various transcription factor binding sites: MZF1

AML-1A

Sp1

E47

MyoD

FIGURE 3B

5/28

C2C12- Mouse Mighty Clone Proliferation Assay
72 hrs Proliferation




FIGURE 4


6/28




Mighty over expressing C2 Myotubes

Control C2 Myotubes


FIGURE 5



7/28



8/28



9/28






FIGURE 6C


10/28




3 Nuclei Myotube Width

11/28










FIGURE 7B




FIGURE 8




FIGURE 9




FIGURE 10

17/28




FIGURE 11






FIGURE 12A





FIGURE 12B








FIGURE 13




FIGURE 14






FIGURE 15

Luciferase Activity of the 1kb mighty promoter in different cell lines




FIGURE 16A

24/28




FIGURE 16B

25/28

Luciferase Activity of the 1kb mighty promoter in response to increasing myostatin concentrations




FIGURE 17





FIGURE 18

A Mighty Promoter Truncations Normalised to beta-Gal Activity






FIGURE 19



FIGURE 20